

SIDE STAND: DO NOT OVER-ADJUST

WHEN ADJUSTING PLEASE ENSURE THAT THERE ARE AT LEAST 4 FULL TURNS OF THREAD STILL ENGAGED BETWEEN THE LOWER LEG AND MAIN BODY

SIDE STAND: DO NOT OVER-ADJUST

WHEN ADJUSTING PLEASE ENSURE THAT THERE ARE AT LEAST 4 FULL TURNS OF THREAD STILL ENGAGED BETWEEN THE LOWER LEG AND MAIN BODY

SIDE STAND: DO NOT OVER-ADJUST

WHEN ADJUSTING PLEASE ENSURE THAT THERE ARE AT LEAST 4 FULL TURNS OF THREAD STILL ENGAGED BETWEEN THE LOWER LEG AND MAIN BODY

SIDE STAND: DO NOT OVER-ADJUST

WHEN ADJUSTING PLEASE ENSURE THAT THERE ARE AT LEAST 4 FULL TURNS OF THREAD STILL ENGAGED BETWEEN THE LOWER LEG AND MAIN BODY

SIDE STAND: DO NOT OVER-ADJUST

WHEN ADJUSTING PLEASE ENSURE THAT THERE ARE AT LEAST 4 FULL TURNS OF THREAD STILL ENGAGED BETWEEN THE LOWER LEG AND MAIN BODY

SIDE STAND: DO NOT OVER-ADJUST

WHEN ADJUSTING PLEASE ENSURE THAT THERE ARE AT LEAST 4 FULL TURNS OF THREAD STILL ENGAGED BETWEEN THE LOWER LEG AND MAIN BODY